

projections provided on the underside, arranged between the second projections, and having, in an unstressed state of the floor covering, a height smaller than a height of the second projections, whereby the third projections provide for an additional support of the floor covering on the floor when a load applied to the floor covering exceeds a predetermined value.

27. A floor covering according to claim 26, wherein the first projections essentially have the shape of a spherical segment.
28. A floor covering according to claim 26, wherein at least one of the second and third projections have a shape of one of a flat square prism and a frustum.
29. A floor covering according to claim 26, wherein at least one of the second and third projections have a shape of one of spherical segment, flat truncated cone, and flat cylinder.
30. A floor covering according to claim 28, wherein the second projections have the shape of the one of a square prism and a frustum with rounded edges and rounded areas adjoining underside of the covering and extending to a plane of the floor covering, and the third projections have the shape of a spherical segment.

31. A floor covering according to claim 26, wherein a distance between opposite edges of each of the second projections correspond to at least a distance between adjacent second projections.
32. A floor covering according to claim 26, wherein a distance between opposite edges of each of the third projections is less than a distance between adjacent third projections.
33. A floor covering according to claim 32, wherein the distance between the opposite edges each of third projections is less than $\frac{3}{4}$ of the distance between the adjacent third projections.
34. A floor covering according to claim 26, wherein grid sizes of arrangements of the first and second projections essentially correspond, and a grid size of the third projections corresponds to the grid size of the arrangements of the first and second projections or a multiple thereof.
35. A floor covering according to claim 26, wherein the first projections are formed by superimposition of a larger spherical segment and a smaller spherical segment mounted on the larger spherical segment.
36. A floor covering according to claim 26, wherein a height of the first projections is less than $\frac{1}{3}$ of a largest dimension thereof in a covering

plane and a height of at least one of a second and third projections is in a range of between $\frac{1}{5}$ and $\frac{1}{2}$ of a dimension thereof in a plane of the floor covering.

37. A floor covering according to claim 26, further comprising at least one of perforations provided between the first and second projections and recesses formed in the underside.

38. A floor covering according to claim 26, wherein at least one of the perforations and the recesses have one of a circular cross-section and a cross-section of a segment.

REMARKS

Reconsideration of the subject application in view of the present amendment is respectfully requested.

By the present amendment, claims 13-25 have been canceled. Claims 26-38 have been added.

Based on the foregoing amendments and the following remarks, the application is deemed to be in condition for allowance, and action to that end is respectfully requested.